

BRAND	Population [RTP]	Nitrogen [RTN]	Response to Corn [RCC]	Response to Fungicide [RTF]	DDU to Maturity	Plant Height	Ear Height	Ear Flex	Flower Date	Kernel Rows	Seeding Vigor	Stalk Quality	Root Strength	Staygreen	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	SCLB	Common Rust	Anthracnose Stalk Rot	Physodermma Node Breakage	Diplodia Ear Rot			
<b>RM: 77-89</b>																										
CP1756VT2P/RIB*	77	M	M	H	M	1758	M	M-L	RED	FX	Early	12-14	2	3	3	2	3	3	2	N/A	3	3	3	N/A		
CP184RR	80	M	L	H	H	2000	M-T	M	PINK	FL	Early	16-18	2	3	2	2	4	3	1	N/A	3	5	N/A	N/A		
CP2123VT2P/RIB*	81	H	M	H	M	2020	M-T	M-L	RED	FL	Early	14-18	1	1	1	3	1	3	2	N/A	3	4	4	N/A		
CP2180VT2P/RIB*	81	M	M	M	M	2223	M	M	RED	SD	Medium-Early	18-20	2	2	2	3	2	3	3	N/A	2	3	3	N/A		
NEW CP2288VT2P/RIB*	82	H	M	M	M	1967	M	M	RED	SF	Medium	16-18	2	2	1	2	2	2	1	N/A	2	2	3	N/A		
CP2330VT2P/RIB*	83	H	M	H	M	2147	M	M	RED	SF	Medium	16-18	2	3	2	3	2	1	3	N/A	2	4	4	N/A		
NEW CP2315VT2P/RIB*	83	M	M	M	M	2254	M-T	M	RED	SF	Early	18-20	2	3	2	3	2	2	3	3	N/A	2	3	4	N/A	
CP2417VT2P/RIB*	85	M	M	M	H	2170	M-T	M	RED	SF	Medium	18-20	3	2	2	3	1	3	2	3	3	5	3	N/A		
CP2367VT2P/RIB*	85	H	H	H	M	2030	M-T	M	RED	SF	Medium	16-18	3	3	2	2	2	3	2	4	3	3	3	N/A		
CP2692AS3011A	86	L	M	M	M	2150	M-T	M	Red	SF	Medium	16-18	3	2	3	3	3	3	3	N/A	2	3	N/A	N/A		
CP2790VT2P/RIB*	87	L	H	M	H	2148	M	M	RED	SF	Early	16-18	1	3	2	3	2	1	2	3	2	2	3	N/A		
NEW CP2851VT2P/RIB*	88	M	M	L	M	2407	M	M	RED	SD	Medium	16-18	3	2	2	3	2	3	3	3	3	3	3	N/A		
CP2845SS/RIB*	89	H	H	L	L	2290	M-T	M	RED	SF	Early	16-18	1	2	1	3	1	1	3	N/A	3	4	4	N/A		
CP2965VT2P/RIB*	89	M	H	L	M	2214	M	M	RED	SF	Medium	14-16	1	1	2	3	2	2	2	3	3	1	N/A	3	2	N/A

**KEY**

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended

**1 RTP/RTM/RTC/RTF Ratings**

L = Low Response  
M = Moderate Response  
H = High Response  
TBD = To be tested in 2021.

**2 Plant Height**

T = Tall  
M = Medium  
S = Short

**4 Ear Flex**

FL = Flex  
SF = Semi-flex  
FX = Fixed

**6 Staygreen**

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

**5 Flower Date**

L = Late  
M = Medium  
E = Early

**3 Ear Height**

H = High  
M = Medium  
L = Low

\*Follow RM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

BRAND	Population [RTP]	Response to Nitrogen [RTN]	Response to Corn [RCCL]	Response to Fungicide [RTF]	600 to Maturity	Plant Height	Ear Height	Ear Flex	Flower Date	Kernel Rows	Seeding Vigor	Stalk Quality	Root Strength	Staygreen	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	SCLB	Common Rust	Anthracnose Stalk Rot	Goss's Wilt	Physoderma Node Breakage	Diplodia Ear Rot		
RM: 90-99	1	1	1	1	1	2	3	4	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6		
CP3146SS/RIB*	91	H	M	M	M	2266	M	M	RED	FX	Medium	18-20	1	2	1	2	2	3	3	N/A	2	N/A	2	4	3	N/A
CP3240AS322D-EZ*	92	H	H	M	H	2300	M-T	M-H	RED	SF	Early	16-18	2	2	2	2	4	1	2	N/A	3	N/A	4	N/A	N/A	
CP3314VT2P/RIB*	93	M	L	M	M	2330	M	M	RED	FL	Medium	16-18	2	2	2	2	2	2	3	N/A	3	N/A	3	4	N/A	
CP3337VT2P/RIB*	93	M	M	L	M	2340	M	M	RED	FL	Early	16-18	2	3	1	3	2	1	2	4	2	4	2	5	3	
CP3399SS/RIB*	94	M	H	M	M	2380	M	M	RED	SF	Medium	16-18	2	2	2	2	2	2	3	N/A	3	N/A	3	4	3	
CP3499VT2P/RIB*	94	M	M	M	M	2370	M-S	M-L	RED	SF	Late	16-18	1	2	2	2	3	2	2	3	3	N/A	3	3	N/A	
CP3533VT2P/RIB*	95	M	L	L	M	2390	M	M	RED	FL	Medium	16-18	2	3	1	3	2	1	2	N/A	3	N/A	3	5	N/A	
CP3575SS/RIB*	95	H	H	M	M	2358	M	M	RED	SF	Medium-Late	16-18	2	2	2	2	3	1	3	2	N/A	N/A	4	1	N/A	
CP3611SS/RIB*	96	M	H	L	M	2416	M-T	M	RED	SF	Medium	16-18	1	3	1	2	1	2	3	3	N/A	3	3	N/A	N/A	
CP3614VT2P/RIB*	96	H	M	L	M	2510	M	M	RED	SF	Medium	16-18	1	3	1	3	2	3	2	N/A	N/A	3	3	N/A	N/A	
CP3699RR	96	M	M	M	M	2430	M-T	M-H	RED	SF	Medium	16-18	1	1	1	3	3	2	2	3	3	N/A	3	3	N/A	
CP3705SS/RIB*	97	H	M	M	H	2244	M-T	M	RED	SF	Medium-Early	16-18	2	1	3	3	3	2	3	3	N/A	N/A	3	N/A	N/A	
CP3735SS/RIB*	97	M	M	M	H	2375	M	M	RED	SD	Medium	16-18	1	2	2	2	2	3	1	3	3	N/A	N/A	3	3	
CP3795VT2P/RIB*	97	M	H	M	L	2412	M-T	M-H	RED	SF	Medium-Late	16-18	2	2	2	2	3	1	1	2	3	2	2	2	N/A	
CP3899VT2P/RIB*	98	H	H	M	H	2400	M-T	M-H	PINK	SF	Late	16-20	1	2	2	2	2	2	4	4	N/A	3	3	3	N/A	
CP3909SS/RIB*	99	M	M	M	H	2400	M	M	RED	SF	Early	16-18	2	2	2	3	1	2	3	3	3	N/A	1	4	N/A	

**KEY** Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

**Scale**  
 1 = Excellent  
 2 = Strong  
 3 = Acceptable  
 4 = Manage  
 5 = Not Recommended

**1 RTP/RTM/RTC/RTF Ratings**  
 L = Low Response  
 M = Moderate Response  
 H = High Response  
 TBD = To be tested in 2021

**2 Plant Height**  
 T = Tall  
 M = Medium  
 S = Short

**3 Ear Height**  
 H = High  
 M = Medium  
 L = Low

**4 Ear Flex**  
 FL = Flex  
 SF = Semi-flex  
 FX = Fixed

**5 Flower Date**  
 L = Late  
 M = Medium  
 E = Early

**6 Staygreen**  
 Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

\*Follow RM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

BRAND	Relative Maturity	Response to Nitrogen [R/N] 1	Response to Corn [R/CC] 1	Response to Fungicide [R/F] 1	600 to Maturity	Plant Height 2	Ear Height 3	Ear Color	Ear Flex 4	Flower Date 5	Kernel Rows	Seeding Vigor	Stalk Quality	Root Strength	Staygreen 6	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	SCLB	Common Rust	Anthracnose Stalk Rot	Goss's Wilt	Physoderma Node Breakage	Diplodia Ear Rot				
<b>RM: 100-104</b>																													
CP4020VT2P/RIB*	100	L	M	H	H	2510	M	M	RED	FL	Medium	16-20	2	3	3	1	3	2	1	3	3	3	3	3	3	3	3	N/A	N/A
CP4079SS/RIB*	100	M	H	H	H	2350	M-T	M	Red	SF	Medium	14-16	2	3	1	3	2	2	3	3	3	2	N/A	2	3	N/A	N/A		
CP4099SS/RIB*	100	H	H	M	H	2460	M-T	M	PINK	SF	Late	16-20	1	2	1	3	3	2	3	4	4	N/A	3	3	3	N/A	N/A		
CP4198SS/RIB*	101	M	M	L	M	2350	M	M	RED	SF	Medium	16-18	1	2	1	1	3	2	1	3	2	N/A	N/A	2	3	N/A	N/A		
CP4199SS/RIB*	101	H	M	M	M	2420	M	M	RED	SF	Late	16-18	1	1	1	3	3	1	3	3	N/A	3	4	2	N/A	N/A			
CP5146SS/RIB*	101	M	M	M	M	2510	M	M	RED	SF	Medium	16-18	2	2	1	2	2	2	1	4	3	3	3	3	2	N/A	N/A		
CP4203SS/RIB*	102	H	H	H	M	2443	M	M	RED	SD	Medium	14-16	3	2	2	3	2	2	2	3	3	3	3	1	3	N/A	N/A		
CP4242SS/RIB*	102	M	L	L	H	N/A	M-T	M	RED	FL	Medium	14-16	2	2	2	3	2	2	1	3	3	N/A	N/A	2	N/A	N/A			
CP4265VT2P/RIB*	102	M	M	M	M	2409	M	M	RED	SD	Medium-Late	16-18	1	2	1	3	1	3	3	3	2	N/A	2	3	3	5	3		
CP4350SS/RIB*	102	M	M	M	M	2430	M-S	M-L	RED	SF	Medium-Early	16-18	2	3	1	2	3	2	3	3	2	N/A	3	2	3	N/A	N/A		
CP4819AS3000GT*	103	M	H	M	M	2530	T	M-H		FL	Medium	16-18	2	3	2	3	2	2	3	3	2	3	3	1	N/A	N/A			
CP4822VT2P/RIB*	103	M	L	M	M	2605	M	M-H	RED	SF	Late	16-18	2	3	1	3	2	2	3	3	2	N/A	3	3	3	N/A	N/A		
CP4444VT2P/RIB*	104	H	L	M	M	2449	T	M-H	Red	SF	Medium-Late	14-16	1	2	2	2	3	2	3	3	3	2	N/A	3	3	3	3		
CP4488SS/RIB*	104	H	H	H	H	2465	T	M-H	RED	SF	Medium	16-18	3	3	3	2	3	2	2	3	3	2	2	2	3	3	N/A	3	

**KEY**

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended

**1 R/P/R/TM/R/TC/C/R/F Ratings**

L = Low Response  
M = Moderate Response  
H = High Response  
TBD = To be tested in 2021.

**2 Plant Height**

T = Tall  
M = Medium  
S = Short

**3 Ear Height**

H = High  
M = Medium  
L = Low

**4 Ear Flex**

FL = Flex  
SF = Semi-flex  
FX = Fixed

**5 Flower Date**

L = Late  
M = Medium  
E = Early

**6 Staygreen**

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

\*Follow RM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.



# CORN



Relative Maturity	Response to Nitrogen [RNP] <b>1</b>	Response to Response to Corn [RCCL] <b>1</b>	Response to Fungicide [RTF] <b>1</b>	GRU to Maturity	Plant Height <b>2</b>	Ear Height <b>3</b>	Cob Color	Ear Flex <b>4</b>	Flower Date <b>5</b>	Kernel Rows	Seeding Vigor	Stalk Quality	Root Strength <b>6</b>	Staygreen <b>6</b>	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	SCLB	Common Rust	Anthracnose Stalk Rot	Physoderma Node Breakage	Diplodia Ear Rot
-------------------	-------------------------------------	--	--------------------------------------	-----------------	-----------------------	---------------------	-----------	-------------------	----------------------	-------------	---------------	---------------	------------------------	--------------------	-------------------	-------------	----------------	------	------	-------------	-----------------------	--------------------------	------------------

## BRAND

### RM: 105-109

CP4549SS/RIB*	105	H	H	L	H	2496	T	M-H	RED	SF	Medium-Early	16-18	1	3	2	3	3	3	2	3	3	2	2	N/A	N/A	3	3	5	3
CP4676SS/RIB*	106	M	H	H	H	2559	M	M	Pink	SF	Medium	16-18	1	3	3	1	1	3	1	3	2	2	N/A	3	1	N/A	2		
CP4644DBVT2P/RIB*	106	M	M	L	H	2700	M-T	M	RED	SF	Medium	16-18	1	3	3	3	3	3	3	3	3	N/A	2	3	N/A	N/A	N/A		
CP5412SS/RIB*	106	M	M	H	M	2590	M	M	RED	SF	Medium	14-16	3	3	3	3	2	3	3	3	3	3	3	3	1	N/A	N/A	N/A	
CP4791AS3111	107	M	M	L	M	2680	M-T	M	Pink	SF	Medium	16-18	3	2	2	2	3	3	2	3	2	3	3	3	2	N/A	N/A	N/A	
CP4895SS/RIB*	108	M	M	L	M	2540	M	M-L	PINK	SF	Medium	16-18	4	2	1	3	2	2	3	3	3	1	2	4	2	N/A	3		
CP5887VT2P/RIB*	108	L	H	L	H	2580	M	M	RED	FL	Medium	14-18	3	3	2	3	1	2	1	4	3	3	3	2	3	3	N/A	4	
CP4997VT2P/RIB*	109	H	H	L	L	2550	T	M-H	RED	SF	Medium	16-18	2	2	2	2	2	2	2	3	2	2	2	3	2	2	3	2	

**KEY**

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

**1 RNP/RTM/RTCC/RTF Ratings**

L = Low Response  
M = Moderate Response  
H = High Response  
TBD = To be tested in 2020.

**2 Plant Height**

T = Tall  
M = Medium  
S = Short

**3 Ear Height**

H = High  
M = Medium  
L = Low

**4 Ear Flex**

FL = Flex  
SF = Semi-flex  
FX = Fixed

**5 Flower Date**

L = Late  
M = Medium  
E = Early

**6 Staygreen**

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

**Scale**

1 = Excellent  
2 = Strong  
3 = Acceptable  
4 = Manage  
5 = Not Recommended

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

\*Follow RM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.



- Population (RTP) **1**
- Nitrogen (RTN) **1**
- Response to Corn (RCC) **1**
- Response to Fungicide (RTF) **1**
- Response to Continuous Corn (RCC5) **1**
- 600 to Maturity **1**
- Plant Height **2**
- Ear Height **3**
- Cob Color **3**
- Ear Flex **4**
- Flower Date **5**
- Kernel Rows
- Seeding Vigor
- Stalk Quality
- Root Strength **6**
- Staygreen **6**
- Drought Tolerance
- Drydown
- Test Weight
- Gray Leaf Spot
- NCLB
- SCLB
- Common Rust
- Anthracnose Stalk Rot
- Goss's Wilt
- Physoderma Node Breakage
- Diplodia Ear Rot

**BRAND**  
RM: 110-120

CP6073SS/R/B*	110	M	M	H	H	2640	M	M-H	RED	SF	Medium	16-18	1	3	2	2	2	2	2	2	3	3	3	2	1	N/A	3	3	N/A	N/A	
CP6110VT2P/R/B*	110	M	M	M	M	2600	M	M	RED	SF	Medium	16-18	2	3	1	2	3	1	3	4	2	2	4	3	3	4	3	3	N/A	3	
NEW CP6115SS/R/B*	111	H	H	H	M	2624	M-T	M-H	RED	SF	Medium-Late	18-20	1	2	1	3	3	2	1	3	3	2	N/A	4	3	5	3	N/A	N/A		
NEW CP6252VT2P/R/B*	112	M	H	M	M	2750	M	M	RED	SF	Medium	14-18	2	2	2	1	2	2	2	2	3	3	3	3	3	3	3	N/A	N/A	N/A	
CP6277AS3220-EZ*	112	H	H	L	H	2660	M-T	M-H	White	SF	Early	14-16	2	2	2	1	2	2	2	2	2	2	2	2	2	2	2	N/A	N/A	N/A	
CP6290SS/R/B*	112	M	H	M	M	2610	M	M	RED	SF	Medium	14-16	1	3	3	3	2	3	1	2	3	3	3	3	3	1	3	N/A	N/A	N/A	
CP6340VT2P	113	M	M	M	L	2770	M-S	M	RED	FL	Medium	16-20	2	1	1	3	2	3	3	3	3	2	2	3	2	2	3	4	3	N/A	4
CP6335SS/R/B*	113	M	H	H	M	2728	M-T	M	PINK	SF	Medium	16-18	2	1	2	2	2	2	1	3	3	2	2	N/A	2	2	N/A	2	N/A	2	
CP6370SS/R/B*	113	H	H	M	M	2730	T	M-H	Pink	SF	Medium	18-20	1	1	1	1	3	2	2	1	3	2	2	2	2	3	4	2	N/A	N/A	
CP6594SS/R/B*	113	M	M	H	M	2690	M	M	RED	SF	Medium	16-18	2	1	1	2	2	2	2	2	2	3	3	2	2	2	3	3	N/A	3	
CP6818 CONV	114	H	L	H	H	2830	M	M	RED	SF	Medium	16-18	1	1	1	1	2	2	3	1	1	2	2	2	2	2	3	3	N/A	N/A	
NEW CP6550VT2P/R/B*	115	M	M	L	M	2748	M-T	M-H	PINK	SF	Medium	14-16	2	2	2	2	2	2	2	2	3	3	3	2	2	N/A	3	1	N/A	3	
NEW CP6570VT2P/R/B*	115	H	M	M	M	2630	M	M	RED	SF	Medium	16-18	3	2	2	2	3	3	2	3	3	3	3	2	2	N/A	3	3	N/A	3	
CP65678SS/R/B*	116	M	M	M	M	2790	M	M	RED	SF	Medium	14-16	2	2	2	3	3	3	2	1	3	2	2	N/A	3	3	3	3	3	3	
CP6798VT2P/R/B*	117	H	M	M	H	2738	T	M-H	RED	SF	Medium	16-18	2	1	1	1	1	3	2	1	3	2	1	3	1	2	N/A	4	3	N/A	3
CP6814SS/R/B*	118	M	H	M	H	2702	M	M	Red	SF	Medium-Early	16-18	2	2	2	1	2	1	2	4	1	4	1	4	2	N/A	3	2	N/A	N/A	
CP6027VT2P/R/B*	120	M	H	L	H	2790	M-T	M-H	RED	SF	Medium	16-18	2	2	2	2	2	2	3	4	2	4	2	4	1	2	2	N/A	2	3	N/A

**KEY**  
Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

**Scale**  
1 = Excellent  
2 = Strong  
3 = Acceptable  
4 = Manage  
5 = Not Recommended

**1 RTP/RTM/RTC/RTF Ratings**  
L = Low Response  
M = Moderate Response  
H = High Response  
TBD = To be tested in 2021.

**2 Plant Height**  
T = Tall  
M = Medium  
S = Short

**3 Ear Height**  
H = High  
M = Medium  
L = Low

**4 Ear Flex**  
FL = Flex  
SF = Semi-flex  
FX = Fixed

**5 Flower Date**  
L = Late  
M = Medium  
E = Early

**6 Staygreen**  
Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

\*Follow RM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.